



## 5600

hand-drawn

for light, medium- and heavy-weight curtains

**Sturdy rail with refined curves**

# 5600



## hand-drawn

for light, medium- and heavy-weight curtains

## Sturdy rail with refined curves

The Qurails 5600 track is a sturdy rail with refined curves that can be mounted on a ceiling. The curtains glide smoothly virtually without sound. A very popular track that can be used in a wide variety of situations, such as private homes, but also in office buildings and in the care sector.

- The ideal track for sheers, medium-heavy or heavy curtains.
- Easy to bend and exceptional quality.
- Can be forward or reverse bent in different radii.
- Compatible with the Qurails Flow System for regularly pleated curtains.
- Silent and smooth running, also round bends.



### Standard colours



High quality, wear-resistant coating, highly colourfast, UV-resistant.  
Other RAL colours & special coatings on request.


### Features

Material:	aluminium
Colour:	white, natural metallic
Dimensions:	22 x 30 mm
Weight profile:	492 gr/m
Mounting:	wall or ceiling

## Profile/ gliders specifications

### Aluminium profile:

### Glider:



### Colours with RAL code and lengths (m):

	RAL	4	5	6
white	9010			●
natural metallic	9006			●

### Mounting surface:

- wood
- masonry/concrete

### Bracket type:

- ceiling bracket
- wall bracket
- spacer bracket

### Bending:

bending radius	bending tool
R 20 cm	1015
R 30 cm	1015
R > 100 cm	1018

R 20 cm	R > 100 cm
---------	------------

## Flow

The Qurails Flow System keeps pleats in curtains consistent. It can be used with small and wide channel tracks and, because of the broad assortment of components, it can be integrated in hand-drawn, cord-pulled and electrically operated systems.


The Flow System can also be used with curved curtain tracks. For further information, [see the Flow product data sheet](#).

## Specification guide

### Material


- Aluminium EN AW-6060-T66.
- Powder coated in accordance with the Qualicoat standard.

## Mounting



Ceiling mounting with ceiling mounting clamp 6050


Wall mounting with bracket 6051



Ceiling mounting with bracket 6055-1000


Mounting: turn & click into place

Concealed mounting, for example, in channel with bracket 6055-3100-N-040 when creating bends: cut the channel on the basis of the track supplied by Qurails



Wall mounting with adjustable extension bracket 6017


Example: confection with and without heading



5600 heading with projection glider 6010

5600 without heading with glider 4010

## Mounting guideline



The distance between the brackets can vary depending on the following factors: the mounting surface (wood, concrete or plaster), the weight of the curtains and the curtain fabric production method, the specific application and the system usage intensity. General advice: with the curtains open, place additional brackets where the pleats bunch together. Also place additional brackets before and after bends.




## Standard parts

### Curtain transport



4001  
end stop  
white / grey / black



4010  
glider  
white / grey / black

### Mounting




6050  
ceiling fixing  
clamp natural  
incl. washer

### Accessories




5653  
end cap  
white / grey



6052  
connecting bridge  
natural

## Optional parts

### Curtain transport



2004  
brake glider  
white / grey / black



4001-M-N  
end stop metal  
with eye natural



4002  
end stop metal



4003  
spring stop plastic  
requires punch hole  
white



4007  
rotating glider white/  
grey / black



4007-LRS  
rotating glider LRS  
grijs / rotating glider  
LRS red



4010-50  
glider white with  
plastic hook 2023




4012  
click-in glider white




4020  
heavy duty glider  
white / grey / black




4030  
roller  
white / black



4074-1000  
carrier with overlap,  
a.o. for draw rod  
white / natural  
metallic / black



4075-1000  
carrier without  
overlap, a.o. for draw  
rod white / natural  
metallic / black



6010  
projection glider  
white / grey / black



2020  
double hook  
white



2021-FL  
G-Hook white




2022  
curtain hook  
white



2023  
curtain hook  
white



2024-55  
adjustable sew  
in hook white  
55mm




2024-95  
adjustable  
sew in hook  
white 95mm


### Mounting




6055-1000  
ceiling fixing plate  
white / natural  
metallic / black




6055-3100-N-040  
profile insert for  
recessed fixing grey,  
incl. screw 40 mm  
white / grey / black



6015  
extension bracket  
5, 7.5, 10, 15 cm  
white / natural  
metallic / black



6017  
extension bracket  
can be cut, 7-15 cm  
white / natural  
metallic / black



6051  
wall bracket  
white / grey / black

### Accessories



1220  
1220 draw rod 100, 125,  
150, 200 of 300 cm  
white / natural metallic  
/ black

Technical specifications are subject to  
change without prior notice.

# Qurails®

Powered by GOELST.